

# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	<b>Connects with:</b>		
3000 FC Digital Multimeter			
a3000 FC Module – AC Current Clamp	 <p>3000 FC Digital Multimeter*</p>	 <p>a3000 FC Module</p>	 <p>a3001 FC Module</p>
a3001 FC Module – AC Current w/iFlex	 <p>a3002 FC Module</p>		
a3002 FC Module – AC/DC Current			
v3000 FC Module – AC Voltage	 <p>t3000 FC Module</p>		
v3001 FC Module – DC Voltage			
t3000 FC Module – Temperature	 <p>Fluke Connect™ App: iOS (4s and later)</p>		
Ti400, Ti300 and Ti200 Infrared Cameras			
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	<p><b>Includes:</b> TL175 Test Leads (red/black), AC175 Alligator clips (red/black), 3-AA batteries (installed) and information pack</p> <p><b>Compatible with CNX:</b> No</p> <p><b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with another 3000 FC DMM, Ti400, Ti300 and Ti200 Infrared Cameras or with the Fluke Connect app; SW3000 FC Software requires the PC adapter</p>		
Fluke Connect™ accessories			
ir3000 FC Wireless Connector	<p><b>ir3000 FC1550 Wireless Connector</b></p>		
ir3000 FC1550 Wireless Connector			
pc3000 FC PC Adapter	<p><b>Wireless FC SD Card</b></p>		
Wireless FC SD Card			
Fluke Connect™ software	<p><b>Fluke Connect™ App - iOS</b></p>		
Fluke Connect™ App - iOS			
Fluke Connect™ App - Android™	<p><b>SW3000 FC Software</b></p>		
SW3000 FC Software			

Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp	3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter	
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** 2-AA batteries (installed), information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp	3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter	
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** 1x iFlex 10" coil, 2-AA batteries (installed), one magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:						
3000 FC Digital Multimeter							
a3000 FC Module – AC Current Clamp	3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter				
a3001 FC Module – AC Current w/iFlex							
a3002 FC Module – AC/DC Current					Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	SW3000 FC Software*
v3000 FC Module – AC Voltage	<table border="1"> <tr> <td><b>i410 and i1010 clamps sold separately</b></td> </tr> <tr> <td><b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> <tr> <td><b>*Requirements:</b> SW3000 FC Software requires the PC adapter</td> </tr> </table>			<b>i410 and i1010 clamps sold separately</b>	<b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack	<b>Compatible with CNX:</b> No	<b>*Requirements:</b> SW3000 FC Software requires the PC adapter
<b>i410 and i1010 clamps sold separately</b>							
<b>Includes:</b> 2-AA batteries (installed), 1x magnet hanging strap and information pack							
<b>Compatible with CNX:</b> No							
<b>*Requirements:</b> SW3000 FC Software requires the PC adapter							
v3001 FC Module – DC Voltage							
t3000 FC Module – Temperature							
Ti400, Ti300 and Ti200 Infrared Cameras							
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras							
Fluke Connect™ accessories							
ir3000 FC Wireless Connector							
ir3000 FC1550 Wireless Connector							
pc3000 FC PC Adapter							
Wireless FC SD Card							
Fluke Connect™ software							
Fluke Connect™ App - iOS							
Fluke Connect™ App - Android™							
SW3000 FC Software							

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp	3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter	
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
<b>v3000 FC Module – AC Voltage</b>				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** TL224 Test leads (red/black), AC285 Alligator Clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	<b>Connects with:</b>			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp		3000 FC Digital Multimeter	Ti400, Ti300 and Ti200	pc3000 FC PC Adapter
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
<b>v3001 FC Module – DC Voltage</b>				
t3000 FC Module – Temperature		Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)	SW3000 FC Software*
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** TL222 Test Leads (red/black), AC220 alligator clips (red/black), 2-AA batteries (installed), 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	<b>Connects with:</b>			
3000 FC Digital Multimeter		 <p>3000 FC Digital Multimeter</p>	 <p>Ti400, Ti300 and Ti200</p>	 <p>pc3000 FC PC Adapter</p>
a3000 FC Module – AC Current Clamp				
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
<b>t3000 FC Module – Temperature</b>	 <p>Fluke Connect™ App: iOS (4s and later)</p>	 <p>Fluke Connect™ App: Android (4.3 and up)</p>	 <p>SW3000 FC Software*</p>	
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

**Includes:** 2-AA batteries (installed), 80pk-1 K-Type Thermocouple Probe, 1x magnet hanging strap and information pack

**Compatible with CNX:** No

**\*Requirements:** SW3000 FC Software requires the PC adapter

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp	 <p>a3002 FC Module</p>	 <p>v3000 FC Module</p>	 <p>v3001 FC Module</p>	
a3001 FC Module – AC Current w/iFlex	 <p>t3000 FC Module</p>	 <p>Fluke Connect™ App: Android (4.3 and up)</p>	 <p>3000 FC Digital Multimeter: Android (4.3 and up)</p>	
a3002 FC Module – AC/DC Current	<p><b>Includes:</b> Infrared lens, ac power supply and battery pack charger, 2x battery packs, USB cable, HDMI video cable, SmartView® software (free download), rugged, hard carrying case, soft transport bag and hand strap</p>			
v3000 FC Module – AC Voltage	<p><b>Compatible with CNX:</b> Yes</p>			
v3001 FC Module – DC Voltage	<p><b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Ti400, Ti300 and Ti200 Infrared Cameras</p>			
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:						
3000 FC Digital Multimeter					 <p>Fluke Connect™ App: iOS (4s and later)</p>	 <p>Fluke Connect™ App: Android (4.3 and up)</p>	 <p>Wireless FC SD Card</p>
a3000 FC Module – AC Current Clamp							
a3001 FC Module – AC Current w/iFlex							
a3002 FC Module – AC/DC Current							
v3000 FC Module – AC Voltage							
v3001 FC Module – DC Voltage							
t3000 FC Module – Temperature							
Ti400, Ti300 and Ti200 Infrared Cameras							
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras							
Fluke Connect™ accessories	<p><b>Includes:</b> Power adapter, battery (Ti125 includes 2 each—other models 1 each), USB cable, SD memory card, hard carrying case, soft transport bag, hand strap, users manual and SmartView® software</p>						
ir3000 FC Wireless Connector	<p><b>Compatible with CNX:</b> Yes</p>						
ir3000 FC1550 Wireless Connector							
pc3000 FC PC Adapter							
Wireless FC SD Card							
Fluke Connect™ software							
Fluke Connect™ App - iOS							
Fluke Connect™ App - Android™							
SW3000 FC Software							

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:					
3000 FC Digital Multimeter						
a3000 FC Module – AC Current Clamp	Fluke 789 ProcessMeter™	Fluke 289 Digital Multimeter	Fluke 287 Digital Multimeter			
a3001 FC Module – AC Current w/iFlex						
a3002 FC Module – AC/DC Current				Fluke 189 Digital Multimeter	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)
v3000 FC Module – AC Voltage	<table border="1"> <tr> <td>189, 287, 289 and 789 compatible</td> </tr> <tr> <td><b>Includes:</b> Instruction sheet</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> </table>			189, 287, 289 and 789 compatible	<b>Includes:</b> Instruction sheet	<b>Compatible with CNX:</b> No
189, 287, 289 and 789 compatible						
<b>Includes:</b> Instruction sheet						
<b>Compatible with CNX:</b> No						
v3001 FC Module – DC Voltage						
t3000 FC Module – Temperature	<table border="1"> <tr> <td>189, 287, 289 and 789 compatible</td> </tr> <tr> <td><b>Includes:</b> Instruction sheet</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> </table>			189, 287, 289 and 789 compatible	<b>Includes:</b> Instruction sheet	<b>Compatible with CNX:</b> No
189, 287, 289 and 789 compatible						
<b>Includes:</b> Instruction sheet						
<b>Compatible with CNX:</b> No						
Ti400, Ti300 and Ti200 Infrared Cameras						
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras						
Fluke Connect™ accessories	<table border="1"> <tr> <td>189, 287, 289 and 789 compatible</td> </tr> <tr> <td><b>Includes:</b> Instruction sheet</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> </table>			189, 287, 289 and 789 compatible	<b>Includes:</b> Instruction sheet	<b>Compatible with CNX:</b> No
189, 287, 289 and 789 compatible						
<b>Includes:</b> Instruction sheet						
<b>Compatible with CNX:</b> No						
ir3000 FC Wireless Connector						
ir3000 FC1550 Wireless Connector	<table border="1"> <tr> <td>189, 287, 289 and 789 compatible</td> </tr> <tr> <td><b>Includes:</b> Instruction sheet</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> </table>			189, 287, 289 and 789 compatible	<b>Includes:</b> Instruction sheet	<b>Compatible with CNX:</b> No
189, 287, 289 and 789 compatible						
<b>Includes:</b> Instruction sheet						
<b>Compatible with CNX:</b> No						
pc3000 FC PC Adapter						
Wireless FC SD Card	<table border="1"> <tr> <td>189, 287, 289 and 789 compatible</td> </tr> <tr> <td><b>Includes:</b> Instruction sheet</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> </table>			189, 287, 289 and 789 compatible	<b>Includes:</b> Instruction sheet	<b>Compatible with CNX:</b> No
189, 287, 289 and 789 compatible						
<b>Includes:</b> Instruction sheet						
<b>Compatible with CNX:</b> No						
Fluke Connect™ software						
Fluke Connect™ App - iOS	<table border="1"> <tr> <td>189, 287, 289 and 789 compatible</td> </tr> <tr> <td><b>Includes:</b> Instruction sheet</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> </table>			189, 287, 289 and 789 compatible	<b>Includes:</b> Instruction sheet	<b>Compatible with CNX:</b> No
189, 287, 289 and 789 compatible						
<b>Includes:</b> Instruction sheet						
<b>Compatible with CNX:</b> No						
Fluke Connect™ App - Android™						
SW3000 FC Software	<table border="1"> <tr> <td>189, 287, 289 and 789 compatible</td> </tr> <tr> <td><b>Includes:</b> Instruction sheet</td> </tr> <tr> <td><b>Compatible with CNX:</b> No</td> </tr> </table>			189, 287, 289 and 789 compatible	<b>Includes:</b> Instruction sheet	<b>Compatible with CNX:</b> No
189, 287, 289 and 789 compatible						
<b>Includes:</b> Instruction sheet						
<b>Compatible with CNX:</b> No						

Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:	
3000 FC Digital Multimeter		
a3000 FC Module – AC Current Clamp	Fluke 1550C Insulation Resistance Tester	Fluke 1555 Insulation Resistance Tester
a3001 FC Module – AC Current w/iFlex	 	
a3002 FC Module – AC/DC Current		
v3000 FC Module – AC Voltage	<div style="border: 1px solid black; padding: 5px;">1550B, 1550C and 1555 Insulation Resistance Testers compatible</div>	
v3001 FC Module – DC Voltage		
t3000 FC Module – Temperature	<b>Compatible with CNX:</b> No	
Ti400, Ti300 and Ti200 Infrared Cameras		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras		
Fluke Connect™ accessories		
ir3000 FC Wireless Connector		
ir3000 FC1550 Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect™ software		
Fluke Connect™ App - iOS		
Fluke Connect™ App - Android™		
SW3000 FC Software		

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp	 <p>a3002 FC Module</p>	 <p>v3000 FC Module</p>	 <p>v3001 FC Module</p>	
a3001 FC Module – AC Current w/iFlex	 <p>t3000 FC Module</p>	 <p>SW3000 FC Software</p>		
a3002 FC Module – AC/DC Current	<div style="border: 1px solid black; padding: 5px;"> <p><b>Includes:</b> SW3000 FC Software and instruction sheet</p> <p><b>Compatible with CNX:</b> No</p> <p><b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter</p> </div>			
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras				
Fluke Connect™ accessories				
ir3000 FC Wireless Connector				
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Built with  
**FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	<b>Connects with:</b>	
3000 FC Digital Multimeter		
a3000 FC Module – AC Current Clamp		
a3001 FC Module – AC Current w/iFlex	Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	Ti95 and Ti90 Infrared Cameras
a3002 FC Module – AC/DC Current		
v3000 FC Module – AC Voltage		
v3001 FC Module – DC Voltage		
t3000 FC Module – Temperature		
Ti400, Ti300 and Ti200 Infrared Cameras		
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras		
Fluke Connect™ accessories		
ir3000 FC Wireless Connector		
ir3000 FC1550 Wireless Connector		
pc3000 FC PC Adapter		
Wireless FC SD Card		
Fluke Connect™ software		
Fluke Connect™ App - iOS		
Fluke Connect™ App - Android™	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)
SW3000 FC Software		
	<b>Includes:</b> Instruction sheet	
	<b>Compatible with CNX:</b> No	

Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE®**

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:											
3000 FC Digital Multimeter												
a3000 FC Module – AC Current Clamp	3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module									
a3001 FC Module – AC Current w/iFlex												
a3002 FC Module – AC/DC Current				a3002 FC Module	v3000 FC Module	v3001 FC Module						
v3000 FC Module – AC Voltage												
v3001 FC Module – DC Voltage					Ti25, Ti110, Ti105 and Ti100	Ti400, Ti300 and Ti200	Ti95 and Ti90					
t3000 FC Module – Temperature												
Ti400, Ti300 and Ti200 Infrared Cameras				Wireless FC SD Card	Fluke Connect™ App: iOS (4s and later)	Fluke Connect™ App: Android (4.3 and up)						
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	<table border="1" style="width: 100%;"> <tr> <td style="background-color: black; color: white;"><b>Fluke Connect™ accessories</b></td> </tr> <tr> <td>ir3000 FC Wireless Connector</td> </tr> <tr> <td>ir3000 FC1550 Wireless Connector</td> </tr> <tr> <td>pc3000 FC PC Adapter</td> </tr> <tr> <td>Wireless FC SD Card</td> </tr> <tr> <td style="background-color: black; color: white;"><b>Fluke Connect™ software</b></td> </tr> <tr> <td style="background-color: yellow;"><b>Fluke Connect™ App - iOS</b></td> </tr> <tr> <td>Fluke Connect™ App - Android™</td> </tr> <tr> <td>SW3000 FC Software</td> </tr> </table>			<b>Fluke Connect™ accessories</b>	ir3000 FC Wireless Connector	ir3000 FC1550 Wireless Connector	pc3000 FC PC Adapter	Wireless FC SD Card	<b>Fluke Connect™ software</b>	<b>Fluke Connect™ App - iOS</b>	Fluke Connect™ App - Android™	SW3000 FC Software
<b>Fluke Connect™ accessories</b>												
ir3000 FC Wireless Connector												
ir3000 FC1550 Wireless Connector												
pc3000 FC PC Adapter												
Wireless FC SD Card												
<b>Fluke Connect™ software</b>												
<b>Fluke Connect™ App - iOS</b>												
Fluke Connect™ App - Android™												
SW3000 FC Software												
<b>Fluke Connect™ accessories</b>	<table border="1" style="width: 100%;"> <tr> <td style="background-color: black; color: white;"><b>Compatible with CNX: No</b></td> </tr> <tr> <td><b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App</td> </tr> <tr> <td>Users with iOS phones can use the app to communicate with users with iOS or Android phones.</td> </tr> </table>			<b>Compatible with CNX: No</b>	<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App	Users with iOS phones can use the app to communicate with users with iOS or Android phones.						
<b>Compatible with CNX: No</b>												
<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App												
Users with iOS phones can use the app to communicate with users with iOS or Android phones.												
ir3000 FC Wireless Connector												
ir3000 FC1550 Wireless Connector												
pc3000 FC PC Adapter												
Wireless FC SD Card												
<b>Fluke Connect™ software</b>												
<b>Fluke Connect™ App - iOS</b>												
Fluke Connect™ App - Android™												
SW3000 FC Software												

Built with **FLUKE CONNECT™**




©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.



# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools	Connects with:			
3000 FC Digital Multimeter				
a3000 FC Module – AC Current Clamp	3000 FC Digital Multimeter*	a3000 FC Module	a3001 FC Module	
a3001 FC Module – AC Current w/iFlex				
a3002 FC Module – AC/DC Current				a3002 FC Module
v3000 FC Module – AC Voltage				
v3001 FC Module – DC Voltage				
t3000 FC Module – Temperature				
Ti400, Ti300 and Ti200 Infrared Cameras				Wireless FC SD Card
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras	<b>Compatible with CNX: No</b>			
Fluke Connect™ accessories	<b>*Requirements:</b> 3000 FC DMM must be in module mode to connect with Fluke Connect App			
ir3000 FC Wireless Connector	Users with Andoid phones can use the app to communicate with users with iOS or Android phones.			
ir3000 FC1550 Wireless Connector				
pc3000 FC PC Adapter				
Wireless FC SD Card				
Fluke Connect™ software				
Fluke Connect™ App - iOS				
Fluke Connect™ App - Android™				
SW3000 FC Software				

Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.




# Compatibility chart

**FLUKE**®

This is an interactive pdf. Click on the tool name to reveal the Fluke Connect products that are compatible.

Fluke Connect™ tools
3000 FC Digital Multimeter
a3000 FC Module – AC Current Clamp
a3001 FC Module – AC Current w/iFlex
a3002 FC Module – AC/DC Current
v3000 FC Module – AC Voltage
v3001 FC Module – DC Voltage
t3000 FC Module – Temperature
Ti400, Ti300 and Ti200 Infrared Cameras
Ti125, Ti110, Ti105 and Ti100 Infrared Cameras
Fluke Connect™ accessories
ir3000 FC Wireless Connector
ir3000 FC1550 Wireless Connector
pc3000 FC PC Adapter
Wireless FC SD Card
Fluke Connect™ software
Fluke Connect™ App - iOS
Fluke Connect™ App - Android™
SW3000 FC Software



**Connects with:**



3000 FC Digital Multimeter\*



a3000 FC Module



a3001 FC Module



a3002 FC Module



v3000 FC Module



v3001 FC Module



t3000 FC Module



pc3000 FC PC Adapter

**Includes:** pc3000 FC PC Adapter and instruction sheet

**Compatible with CNX:** No

**\*Requirements:** 3000 FC DMM must be in module mode to connect with pc3000 FC PC Adapter and SW3000 FC software

Built with **FLUKE CONNECT™**



©2014 Fluke Corporation. All trademarks are the property of their respective owners. Smart phone, wireless service and data plan not included with purchase. First 5 GB of storage is free. Compatible with iPhone 4x and up running iOS 7 or higher, iPad (in an iPhone frame on iPad) and Galaxy S4, Nexus S, HTC One running Android™ 4.4.x or higher. Apple and the Apple Logo are trademarks of Apple Inc. registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.. 5/2014 6002581b-en.

